

## Nestlé Blayney Monitoring

Licence No: 3252  
 Link to licence: <http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=3252&id=3252&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>  
 Licensee's name: Nestlé Australia Ltd  
 Licensee's address: Jarman Crescent , Blayney, NSW 2799  
 Monitoring Period: **January 2017**

<b>Monitoring Point:</b>	Licence Identification Point 1: Discharge to Waters				
Location:	Brown's Creek Road, Blayney, NSW, 2799				
Sampling Frequency:	Daily when in use				
Days when discharge point used:	Nil - not in use				
Dates Results obtained:	Not applicable: discharge point not in use				
<b>Measure</b>	<b>Units</b>	<b>Maximum Limit</b>	<b>Average</b>	<b>Maximum</b>	<b>Exceed (Y/N)</b>
Volume	kilolitre per day	700	not in use	not in use	No
BOD	milligrams per litre	20	not in use	not in use	No
Oil and Grease	milligrams per litre	10	not in use	not in use	No
Total Suspended Solids	milligrams per litre	50	not in use	not in use	No

## Nestlé Blayney Monitoring

Licence No: 3252  
 Link to licence: <http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=3252&id=3252&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>  
 Licensee's name: Nestlé Australia Ltd  
 Licensee's address: Jarman Crescent , Blayney, NSW 2799  
 Monitoring Period: **February 2017**

<b>Monitoring Point:</b>	Licence Identification Point 1: Discharge to Waters				
Location:	Brown's Creek Road, Blayney, NSW, 2799				
Sampling Frequency:	Daily when in use				
Days when discharge point used:	Nil - not in use				
Dates Results obtained:	Not applicable: discharge point not in use				
<b>Measure</b>	<b>Units</b>	<b>Maximum Limit</b>	<b>Average</b>	<b>Maximum</b>	<b>Exceed (Y/N)</b>
Volume	kilolitre per day	700	not in use	not in use	No
BOD	milligrams per litre	20	not in use	not in use	No
Oil and Grease	milligrams per litre	10	not in use	not in use	No
Total Suspended Solids	milligrams per litre	50	not in use	not in use	No

## Nestlé Blayney Monitoring

Licence No: 3252  
 Link to licence: <http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=3252&id=3252&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>  
 Licensee's name: Nestlé Australia Ltd  
 Licensee's address: Jarman Crescent , Blayney, NSW 2799  
 Monitoring Period: **March 2017**

<b>Monitoring Point:</b>	Licence Identification Point 1: Discharge to Waters				
Location:	Brown's Creek Road, Blayney, NSW, 2799				
Sampling Frequency:	Daily when in use				
Days when discharge point used:	Nil - not in use				
Dates Results obtained:	Not applicable: discharge point not in use				
<b>Measure</b>	<b>Units</b>	<b>Maximum Limit</b>	<b>Average</b>	<b>Maximum</b>	<b>Exceed (Y/N)</b>
Volume	kilolitre per day	700	not in use	not in use	No
BOD	milligrams per litre	20	not in use	not in use	No
Oil and Grease	milligrams per litre	10	not in use	not in use	No
Total Suspended Solids	milligrams per litre	50	not in use	not in use	No

## Nestlé Blayney Monitoring

Licence No: 3252  
 Link to licence: <http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=3252&id=3252&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>  
 Licensee's name: Nestlé Australia Ltd  
 Licensee's address: Jarman Crescent , Blayney, NSW 2799  
 Monitoring Period: **April 2017**

<b>Monitoring Point:</b>	Licence Identification Point 1: Discharge to Waters				
Location:	Brown's Creek Road, Blayney, NSW, 2799				
Sampling Frequency:	Daily when in use				
Days when discharge point used:	Nil - not in use				
Dates Results obtained:	Not applicable: discharge point not in use				
<b>Measure</b>	<b>Units</b>	<b>Maximum Limit</b>	<b>Average</b>	<b>Maximum</b>	<b>Exceed (Y/N)</b>
Volume	kilolitre per day	700	not in use	not in use	No
BOD	milligrams per litre	20	not in use	not in use	No
Oil and Grease	milligrams per litre	10	not in use	not in use	No
Total Suspended Solids	milligrams per litre	50	not in use	not in use	No

## Nestlé Blayney Monitoring

Licence No: 3252  
 Link to licence: <http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=3252&id=3252&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>  
 Licensee's name: Nestlé Australia Ltd  
 Licensee's address: Jarman Crescent , Blayney, NSW 2799  
 Monitoring Period: **May 2017**

<b>Monitoring Point:</b>	Licence Identification Point 1: Discharge to Waters				
Location:	Brown's Creek Road, Blayney, NSW, 2799				
Sampling Frequency:	Daily when in use				
Days when discharge point used:	Nil - not in use				
Dates Results obtained:	Not applicable: discharge point not in use				
<b>Measure</b>	<b>Units</b>	<b>Maximum Limit</b>	<b>Average</b>	<b>Maximum</b>	<b>Exceed (Y/N)</b>
Volume	kilolitre per day	700	not in use	not in use	No
BOD	milligrams per litre	20	not in use	not in use	No
Oil and Grease	milligrams per litre	10	not in use	not in use	No
Total Suspended Solids	milligrams per litre	50	not in use	not in use	No

<b>Monitoring Point:</b>	Licence Identification Point 3: Irrigation site monitoring				
Location:					
Sample Frequency:	Annual (sampled 17th May)				
<b>Measure*</b>	<b>Units</b>	<b>Number of Sample</b>	<b>Lowest</b>	<b>Mean</b>	<b>Highest</b>

Exchangeable Calcium	milligrams per kilogram	10	380	564	720
Exchangeable Magnesium	milligrams per kilogram	10	87	197	317
Exchangeable Potassium	milligrams per kilogram	10	78	241	468
Exchangeable Sodium	milligrams per kilogram	10	27	216	552
Extractable Nitrate	milligrams per kilogram	10	1.2	5.4	13
Extractable Phosphorus	milligrams per kilogram	10	17	163	490
Nitrogen (total)	milligrams per kilogram	10	400	1648	3200
Organic Carbon	milligrams per kilogram	10	3100	16710	31000
pH	pH	10	5.4	6.3	7
Phosphorus (total)	milligrams per kilogram	10	280	575	1000
Phosphorus Sorption capacity	milligrams per kilogram	8	10	173	310
Salinity	microsiemens per cm	10	40	142	310

\* limits are not applicable to data from this monitoring point

## Nestlé Blayney Monitoring

Licence No: 3252  
 Link to licence: <http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=3252&id=3252&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>  
 Licensee's name: Nestlé Australia Ltd  
 Licensee's address: Jarman Crescent , Blayney, NSW 2799  
 Monitoring Period: **June 2017**

<b>Monitoring Point:</b>	Licence Identification Point 1: Discharge to Waters				
Location:	Brown's Creek Road, Blayney, NSW, 2799				
Sampling Frequency:	Daily when in use				
Days when discharge point used:	Nil - not in use				
Dates Results obtained:	Not applicable: discharge point not in use				
<b>Measure</b>	<b>Units</b>	<b>Maximum Limit</b>	<b>Average</b>	<b>Maximum</b>	<b>Exceed (Y/N)</b>
Volume	kilolitre per day	700	not in use	not in use	No
BOD	milligrams per litre	20	not in use	not in use	No
Oil and Grease	milligrams per litre	10	not in use	not in use	No
Total Suspended Solids	milligrams per litre	50	not in use	not in use	No

## Nestlé Blayney Monitoring

Licence No: 3252  
 Link to licence: <http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=3252&id=3252&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>  
 Licensee's name: Nestlé Australia Ltd  
 Licensee's address: Jarman Crescent , Blayney, NSW 2799  
 Monitoring Period: **July 2017**

<b>Monitoring Point:</b>	Licence Identification Point 1: Discharge to Waters				
Location:	Brown's Creek Road, Blayney, NSW, 2799				
Sampling Frequency:	Daily when in use				
Days when discharge point used:	Nil - not in use				
Dates Results obtained:	Not applicable: discharge point not in use				
<b>Measure</b>	<b>Units</b>	<b>Maximum Limit</b>	<b>Average</b>	<b>Maximum</b>	<b>Exceed (Y/N)</b>
Volume	kilolitre per day	700	not in use	not in use	No
BOD	milligrams per litre	20	not in use	not in use	No
Oil and Grease	milligrams per litre	10	not in use	not in use	No
Total Suspended Solids	milligrams per litre	50	not in use	not in use	No



## Nestlé Blayney Monitoring

Licence No: 3252  
 Link to licence: <http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=3252&id=3252&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>  
 Licensee's name: Nestlé Australia Ltd  
 Licensee's address: Jarman Crescent , Blayney, NSW 2799  
 Monitoring Period: **August 2017**

<b>Monitoring Point:</b>	Licence Identification Point 1: Discharge to Waters				
Location:	Brown's Creek Road, Blayney, NSW, 2799				
Sampling Frequency:	Daily when in use				
Days when discharge point used:	Nil - not in use				
Dates Results obtained:	Not applicable: discharge point not in use				
<b>Measure</b>	<b>Units</b>	<b>Maximum Limit</b>	<b>Average</b>	<b>Maximum</b>	<b>Exceed (Y/N)</b>
Volume	kilolitre per day	700	not in use	not in use	No
BOD	milligrams per litre	20	not in use	not in use	No
Oil and Grease	milligrams per litre	10	not in use	not in use	No
Total Suspended Solids	milligrams per litre	50	not in use	not in use	No

## Nestlé Blayney Monitoring

Licence No: 3252  
 Link to licence: <http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=3252&id=3252&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>  
 Licensee's name: Nestlé Australia Ltd  
 Licensee's address: Jarman Crescent , Blayney, NSW 2799  
 Monitoring Period: **September 2017**

<b>Monitoring Point:</b>	Licence Identification Point 1: Discharge to Waters				
Location:	Brown's Creek Road, Blayney, NSW, 2799				
Sampling Frequency:	Daily when in use				
Days when discharge point used:	Nil - not in use				
Dates Results obtained:	Not applicable: discharge point not in use				
<b>Measure</b>	<b>Units</b>	<b>Maximum Limit</b>	<b>Average</b>	<b>Maximum</b>	<b>Exceed (Y/N)</b>
Volume	kilolitre per day	700	not in use	not in use	No
BOD	milligrams per litre	20	not in use	not in use	No
Oil and Grease	milligrams per litre	10	not in use	not in use	No
Total Suspended Solids	milligrams per litre	50	not in use	not in use	No

## Nestlé Blayney Monitoring

Licence No: 3252  
 Link to licence: <http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=3252&id=3252&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>  
 Licensee's name: Nestlé Australia Ltd  
 Licensee's address: Jarman Crescent , Blayney, NSW 2799  
 Monitoring Period: **October 2017**

<b>Monitoring Point:</b>	Licence Identification Point 1: Discharge to Waters				
Location:	Brown's Creek Road, Blayney, NSW, 2799				
Sampling Frequency:	Daily when in use				
Days when discharge point used:	Nil - not in use				
Dates Results obtained:	Not applicable: discharge point not used				
<b>Measure</b>	<b>Units</b>	<b>Maximum Limit</b>	<b>Average</b>	<b>Maximum</b>	<b>Exceed (Y/N)</b>
Volume	kilolitre per day	700	not in use	not in use	No
BOD	milligrams per litre	20	not in use	not in use	No
Oil and Grease	milligrams per litre	10	not in use	not in use	No
Total Suspended Solids	milligrams per litre	50	not in use	not in use	No

## Nestlé Blayney Monitoring

Licence No: 3252  
 Link to licence: <http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=3252&id=3252&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>  
 Licensee's name: Nestlé Australia Ltd  
 Licensee's address: Jarman Crescent , Blayney, NSW 2799  
 Monitoring Period: **November 2017**

<b>Monitoring Point:</b>	Licence Identification Point 1: Discharge to Waters				
Location:	Brown's Creek Road, Blayney, NSW, 2799				
Sampling Frequency:	Daily when in use				
Days when discharge point used:	Nil - not in use				
Dates Results obtained:	Not applicable: discharge point not used				
<b>Measure</b>	<b>Units</b>	<b>Maximum Limit</b>	<b>Average</b>	<b>Maximum</b>	<b>Exceed (Y/N)</b>
Volume	kilolitre per day	700	not in use	not in use	No
BOD	milligrams per litre	20	not in use	not in use	No
Oil and Grease	milligrams per litre	10	not in use	not in use	No
Total Suspended Solids	milligrams per litre	50	not in use	not in use	No

## Nestlé Blayney Monitoring

Licence No: 3252  
 Link to licence: <http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=3252&id=3252&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>  
 Licensee's name: Nestlé Australia Ltd  
 Licensee's address: Jarman Crescent , Blayney, NSW 2799  
 Monitoring Period: **December 2017**

	Licence Identification Point 1: Discharge to Waters				
	Brown's Creek Road, Blayney, NSW, 2799				
Sampling Frequency:	Daily when in use				
Days when discharge point used:	Nil - not in use				
Dates Results obtained:	Not applicable: discharge point not used				
Measure	Units	Maximum Limit	Average	Maximum	Exceed (Y/N)
Volume	kilolitre per day	700	not in use	not in use	No
BOD	milligrams per litre	20	not in use	not in use	No
Oil and Grease	milligrams per litre	10	not in use	not in use	No
Total Suspended Solids	milligrams per litre	50	not in use	not in use	No